



35006 CIRALI 52

General Information

| | |
|-----------------|---------------------|
| Material number | 35006 |
| EAN/UPC | 9002759350062 |
| Type | ceiling fan & light |

Dimensions

| | |
|---------------------------|--------------|
| Article Diameter (in mm) | 1320 |
| Article Height (in mm) | 333 |
| Canopy Height (in mm) | 50 |
| Canopy Diameter (in mm) | 170 |
| Net Weight | 7.7 Kilogram |
| Gross Weight | 7.7 Kilogram |
| Single-Box Height (in mm) | 246 |
| Single-Box Length (in mm) | 764 |
| Single-Box Depth (in mm) | 427 |



Fan

| | |
|-------------------------------|----------------|
| Motor Type | DC |
| Motor dimension in MM (Ø x H) | 155x12 |
| Motor Wattage | 24 |
| Adjustable Canopy | 13° |
| Blade pitch in degree | 16° |
| Blade Quantity | 3 |
| Mains Voltage | 220-240V, 50Hz |

Functions

Technical changes reserved



EGLO Leuchten GmbH
 Heiligkreuz 22 | 6136 Pill | Austria
 Tel. +43 (0) 5242 / 6996 - 0
 Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style



| | |
|----------|---|
| Function | remote control incl. CCT reversible 5 speeds |
|----------|---|

Material & Colour

| | |
|----------------------|------------|
| Blade Material | ABS |
| Blade Colour (1) | white matt |
| Canopy Material | ABS |
| Canopy Colour | white matt |
| Enclosure Material | ABS |
| Enclosure Colour | white matt |
| Glass/Shade Material | acryl |
| Glass/Shade Colour | milky |

Performance

| | |
|-----------------------------|-------|
| Wattage by air movement (5) | 24.1 |
| RPM (5) | 170 |
| Air Movement m3/Hr (5) | 12120 |

Illuminant

| | |
|-----------------------|----------------|
| Illuminant Type (1) | LED |
| max. Wattage (1) | 1X15W |
| Lumen Complete | 2000 |
| Light colour Complete | TUNEABLE WHITE |
| Suitable for LM EEI | A++ - A |

Energy Information

| | |
|---|------|
| Maximum fan flow rate (F) in m ³ /min | 202 |
| Fan power input (P) in W | 24,1 |
| Service value (SV) in (m ³ /min)/W (acc. IEC 60879:1986) | 8,38 |

Technical changes reserved



EGLO Leuchten GmbH
 Heiligkreuz 22 | 6136 Pöll | Austria
 Tel. +43 (0) 5242 / 6996 - 0
 Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style

Standby power consumption (PSB) 0,49
in W

Fan sound power level (LWA) in
db(A) 46

Maximum air velocity (c) in m/s 3,12

| | | | | | |
|---|---|--|---|--|---|
|  AIRFLOW |  5 speed |  HANG SURE CANOPY |  ABS CONSTRUCTION NON RUST |  LED |  tunable WHITE |
| 12120 m ³ /h | 2h 8h | 13° | | 1X15W | 1X x 2000lm |



Technical changes reserved



EGLO Leuchten GmbH
Heiligkreuz 22 | 6136 Pill | Austria

Tel. +43 (0) 5242 / 6996 - 0
Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style