



35008 CIRALI 52

General Information

Material number	35008
EAN/UPC	9002759350086
Type	ceiling fan & light

Dimensions

Article Diameter (in mm)	1320
Article Height (in mm)	333
Canopy Height (in mm)	50
Canopy Diameter (in mm)	170
Net Weight	8.33 Kilogram
Gross Weight	8.33 Kilogram
Single-Box Height (in mm)	246
Single-Box Length (in mm)	764
Single-Box Depth (in mm)	427



Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x12
Motor Wattage	24
Adjustable Canopy	13°
Blade pitch in degree	16°
Blade Quantity	3
Mains Voltage	220-240V, 50Hz

Functions

Technical changes reserved



EGLO Leuchten GmbH
 Heiligkreuz 22 | 6136 Pill | Austria
 Tel. +43 (0) 5242 / 6996 - 0
 Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style



Function	remote control incl. CCT reversible 5 speeds
----------	---

Material & Colour

Blade Material	ABS
Blade Colour (1)	black matt
Canopy Material	ABS
Canopy Colour	black matt
Enclosure Material	ABS
Enclosure Colour	black matt
Glass/Shade Material	acryl
Glass/Shade Colour	milky

Performance

Wattage by air movement (5)	24.1
RPM (5)	170
Air Movement m3/Hr (5)	12120

Illuminant

Illuminant Type (1)	LED
max. Wattage (1)	1X15W
Lumen Complete	2000
Light colour Complete	TUNEABLE WHITE
Suitable for LM EEI	A++ - A

Energy Information

Maximum fan flow rate (F) in m ³ /min	202
Fan power input (P) in W	24,1
Service value (SV) in (m ³ /min)/W (acc. IEC 60879:1986)	8,38

Technical changes reserved



EGLO Leuchten GmbH
 Heiligkreuz 22 | 6136 Püll | Austria
 Tel. +43 (0) 5242 / 6996 - 0
 Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style

Standby power consumption (PSB) 0,49
in W

Fan sound power level (LWA) in
db(A) 46

Maximum air velocity (c) in m/s 3,12

 AIRFLOW	 5 speed	 HANG SURE CANOPY	 ABS CONSTRUCTION NON RUST	 LED	 tunable WHITE
12120 m ³ /h	2h 8h	13°		1X15W	1X x 2000lm



Technical changes reserved



EGLO Leuchten GmbH
Heiligkreuz 22 | 6136 Pöll | Austria

Tel. +43 (0) 5242 / 6996 - 0
Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style