


IN_LINE



IN_LINE TRACK T




	Code	Dimensions (mm): LxWxH	Color
Recessed track	06.T200.BK	2000 x 40 x 54	Black
with trim	06.T300.BK	3000 x 40 x 54	Black

CE ENEC IP20 48V NO INCL

MATERIAL | AL

(i) » 188

IN_LINE CORNER T HR



	Code	Color
Recessed «L» track connector with trim	06.T90HR.BK	Black

CE ENEC IP20 48V NO INCL

MATERIAL | AL

(i) » 188

IN_LINE END CAP T





	Code	Color
End cap for recessed track T	06.TECAP.BK	Black

CE ENEC IP20

MATERIAL | PC

(i) » 188

IN_LINE TRACK R





	Code	Dimensions (mm): LxWxH	Color
Recessed track	06.R200.WH	2000 x 76 x 54	White
	06.R200.BK	2000 x 76 x 54	Black
	06.R300.WH	3000 x 76 x 54	White
	06.R300.BK	3000 x 76 x 54	Black

CE ENEC IP20 48V NO INCL

MATERIAL | AL

(i) » 188

IN_LINE CORNER R HR




	Code	Color
Recessed «L» track connector	06.R90HR.WH	White
	06.R90HR.BK	Black

CE ENEC IP20 48V NO INCL

MATERIAL | AL

(i) » 188

IN_LINE CORNER R IN




	Code	Color
Recessed «L» connector Ceiling to Wall, in-installation	06.R90IN.WH	White
	06.R90IN.BK	Black

CE ENEC IP20 48V NO INCL

MATERIAL | AL

(i) » 188

IN_LINE CORNER R OUT





	Code	Color
Recessed «L» track connector Wall to Wall out-installation	06.R90OUT.WH	White
	06.R90OUT.BK	Black

CE ENEC IP20 48V NO INCL

MATERIAL | AL

(i) » 188

IN_LINE TRACK S



	Code	Dimensions (mm): LxWxH	Color
Surface / Suspension track	06.S200.WH	2000 x 30 x 54	White
	06.S200.BK	2000 x 30 x 54	Black
	06.S200.LG	2000 x 30 x 54	Like gold
	06.S200.LB	2000 x 30 x 54	Like brass
	06.S300.WH	3000 x 30 x 54	White
	06.S300.BK	3000 x 30 x 54	Black





CE ENEC IP20 48V NO INCL

MATERIAL | AL

» 188

IN_LINE CORNER S HR



	Code	Color
Surface/suspension «L» track connector	06.S90HR.WH	White
	06.S90HR.BK	Black
	06.S90HR.LG	Like gold
	06.S90HR.LB	Like brass



CE ENEC IP20 48V NO INCL

MATERIAL | AL

» 188



IN_LINE CORNER S IN





	Code	Color
Surface «L» track connector Ceiling to Wall in – installation	06.S90IN.WH	White
	06.S90IN.BK	Black

CE ENEC IP20 48V NO INCL

MATERIAL | AL

» 188

IN_LINE CORNER S OUT





	Code	Color
Surface «L» track connector – Wall to Wall out – installation	06.S90OUT.WH	White
	06.S90OUT.BK	Black

CE ENEC IP20 48V NO INCL

MATERIAL | AL

» 188

IN_LINE END CAP R/S




	Code	Color
End cap for Recessed & Surface	06.R/SECAP.WH	White
	06.R/SECAP.BK	Black
	06.R/SECAP.LG	Like gold
	06.R/SECAP.LB	Like brass

CE ENEC IP20

MATERIAL | PC

» 188

IN_LINE CORNER 90




	Code	Color
Surface «90» track electrical connector	06.SE90HR.BK	Black

CE ENEC IP20 48V NO INCL

MATERIAL | AL

» 188

IN_LINE CORNER 180




	Code	Color
Surface «180» track electrical connector	06.SE180HR.BK	Black

CE ENEC IP20 48V NO INCL

MATERIAL | AL

» 188

IN_LINE CORNER T



	Code	Color
Surface T right track electrical connector	06.SETRHR.BK	Black


	Code	Color
Surface T left track electrical connector	06.SETLHR.BK	Black

CE ENEC IP20 48V NO INCL

MATERIAL | AL

» 188

IN_LINE CORNER X




	Code	Color
Surface «X» track electrical connector	06.SEQHR.BK	Black

CE ENEC IP20 48V NO INCL

MATERIAL | AL

» 188

IN_LINE CORNER 120




	Code	Color
Surface «120» track electrical connector	06.SE120HR.BK	Black

CE ENEC IP20 48V NO INCL


MATERIAL | AL

» 188


INSTALLATION SURFACE TRACK SYSTEM IN_LINE TRACK S



INSTALLATION SURFACE TRACK SYSTEM IN_LINE TRACK S



IN_LINE SHORT TRACK S




	Code	Dimensions (mm): LxWxH	Color
Surface / Suspension track (End caps 2pcs include)	06.SS300.WH	3000 x 30 x 37	White
	06.SS300.BK	3000 x 30 x 37	Black


CE ENEC IP20 48V

MATERIAL | AL

» 188



06.SS300.WH



06.SS300.BK

IN_LINE MEC JOINT



CE ENE ↓ F IP20

MATERIAL | INOX

	Code	Color
Mechanical linear connector for track	06.R/SLNCON	Black

» 188

IN_LINE COVER R/S





	Code	Dimensions (mm): LxWxH	Color
Track cover for Recessed & Surface	06.R/SCOV200.WH	2000 x 26 x 5	White
	06.R/SCOV200.BK		Black
	06.R/SCOV300.WH	3000 x 26 x 5	White
	06.R/SCOV300.BK		Black

CE ENE ↓ F IP20

MATERIAL | PC

» 188

IN_LINE SUSP KIT




	Code	Dimensions (mm): LxWxH	Color
Suspension	06.SS150.WH	1500 x 26 x 5	White
	06.SS150.BK		Black
	06.SS150.ZZ		Steel

CE ENE ↓ F IP20

MATERIAL | INOX

» 188

IN_LINE LIVE END




CE ENE ↓ F IP20 48V NO INCL

MATERIAL | PC

	Code	Dimensions (mm): LxWxH	Color
Feed cable	06.SLE60.WH	600	White
	06.SLE60.BK	600	Black

» 188

IN_LINE LIVE END




CE ENE ↓ F IP20 48V NO INCL

MATERIAL | PC

	Code	Dimensions (mm): LxWxH	Color
Feed cable	06.SLE150.WH	1500	White
	06.SLE150.BK	1500	Black

» 188

IN_LINE ELECTRICAL JOINT





CE ENE ↓ F IP20 48V NO INCL

MATERIAL | PC

	Code	Color
Electrical joint live end for track, without cable	06.SLE00.WH	White
	06.SLE00.BK	Black

» 188

IN_LINE ELECTRICAL JOINT FLEX




CE ENE ↓ F IP20 48V NO INCL

MATERIAL | PC

	Code	Color
Electrical joint flex connector for track	06.S2LE60.WH	White
	06.S2LE60.BK	Black

» 188

IN_LINE POWER UNIT 100




	Code	Power Watt	Color
Power supply	06.PSU.100.WH	100	White
	06.PSU.100.BK	100	Black

CE ENEC IP20 SELV 48V

MATERIAL | ○ AL

» 188

IN_LINE POWER UNIT 200




	Code	Power Watt	Color
Power supply	06.PSU.200.WH	200	White
	06.PSU.200.BK	200	Black

CE ENEC IP20 SELV 48V

MATERIAL | ○ AL

» 188

POWER SUPPLY



Code	Dimensions (mm): LxWxH	Power Watt	Color
PS-60-48	162,5 x 42,5 x 32	60	Grey
PS-100-48	190 x 52 x 37	100	Grey
PS-150-48	191 x 63 x 37,5	150	Grey

CE IP67 48V

MATERIAL | ○ PC

» 188

POWER SUPPLY



Code	Dimensions (mm): LxWxH	Power Watt	Color
06.PSU.100.W/O	298 x 30 x 16,5	100	Grey
06.PSU.250.W/O	384 x 30 x 22	250	Grey

CE IP20 48V


MATERIAL | ○ PC

» 188




Davydovsky Architecture&Design


INSTALLATION RECESSED TRACK SYSTEM IN_LINE TRACK T



INSTALLATION RECESSED TRACK SYSTEM IN_LINE TRACK R




INSTALLATION SURFACE TRACK SYSTEM IN_LINE TRACK S




! Every 10 meters of track must be connected to a separate power supply adapter. Maximum permissible current for one electrical circuit - 8.5A (400W)

INSTALLATION SUSPENDED TRACK SYSTEM IN_LINE



! Every 10 meters of track must be connected to a separate power supply adapter. Maximum permissible current for one electrical circuit - 8.5A (400W)


INSTALLATION SURFACE TRACK SYSTEM IN_LINE SHORT TRACK S




! Every 10 meters of track must be connected to a separate power supply adapter. Maximum permissible current for one electrical circuit - 8.5A (400W)



IN_LINE LINEA 205




	Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
NEW	06.2050.6.930.WH	406	6	3000	>90	White
	06.2050.6.930.BK	406	6	3000	>90	Black
NEW	06.2050.6.940.WH	435	6	4000	>90	White
	06.2050.6.940.BK	435	6	4000	>90	Black




MATERIAL | AL PC

[i](#) » 188

IN_LINE LINEA 407




	Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
NEW	06.4070.11.930.WH	782	11	3000	>90	White
	06.4070.11.930.BK	782	11	3000	>90	Black
NEW	06.4070.11.940.WH	810	11	4000	>90	White
	06.4070.11.940.BK	810	11	4000	>90	Black




MATERIAL | AL PC

[i](#) » 188

IN_LINE LINEA 800



	Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
NEW	06.8000.18.930.WH	1450	18	3000	>90	White
	06.8000.18.930.BK	1450	18	3000	>90	Black
NEW	06.8000.18.940.WH	1495	18	4000	>90	White
	06.8000.18.940.BK	1495	18	4000	>90	Black




MATERIAL | AL PC

[i](#) » 188

IN_LINE COMFORT 69



	Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
	06.0691.4.930.BK	273	4	3000	>90	Black
	06.0691.4.940.BK	330	4	4000	>90	Black




MATERIAL | AL PC

[i](#) » 188

IN_LINE COMFORT 137



	Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
	06.1371.8.930.BK	557	8	3000	>90	Black
	06.1371.8.940.BK	684	8	4000	>90	Black




MATERIAL | AL PC

[i](#) » 188

IN_LINE COMFORT 205




	Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
NEW	06.2051.12.930.WH	850	12	3000	>90	White
	06.2051.12.930.BK	850	12	3000	>90	Black
NEW	06.2051.12.940.WH	850	12	4000	>90	White
	06.2051.12.940.BK	850	12	4000	>90	Black



MATERIAL | AL PC

[i](#) » 188

IN_LINE WALL WASHER 205




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2055.10.930.BK	990	10	3000	>90	Black
06.2055.10.940.BK	1025	10	4000	>90	Black



MATERIAL | AL PC

» 188

IN_LINE STICKS





Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.8003.20.830.BK	2400	20	3000	>90	Black



MATERIAL | AL PC

» 188

IN_LINE TUB XS A 48



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0248.02.930.WH	112	2,1	3000	>90	White
06.0248.02.930.BK	112	2,1	3000	>90	Black



MATERIAL | AL PC


» 188



IN_LINE TUB S A 60 X2



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2301.14.930.WH	2 x 504	2 x 4,5	3000	>90	White
06.2301.14.930.BK	2 x 504	2 x 4,5	3000	>90	Black
06.2301.14.940.WH	2 x 536	2 x 4,5	4000	>90	White
06.2301.14.940.BK	2 x 536	2 x 4,5	4000	>90	Black



MATERIAL | AL PC (i) » 188

ACCESSORIES


	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

(i) » 183

IN_LINE ZOOM S




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0369.6.930.WH	228 - 307	5,4	3000	>90	White
06.0369.6.930.BK	228 - 307	5,4	3000	>90	Black
06.0369.6.940.WH	240 - 322	5,4	4000	>90	White
06.0369.6.940.BK	240 - 322	5,4	4000	>90	Black




MATERIAL | AL PC (i) » 188

IN_LINE TUB S A 60



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0361.8.930.WH	570	5,4	3000	>90	White
06.0361.8.930.BK	570	5,4	3000	>90	Black
NEW 06.0361.8.930.WHW	570	5,4	3000	>90	White/White
NEW 06.0361.8.930.BR	570	5,4	3000	>90	Brass
NEW 06.0361.8.930.CR	570	5,4	3000	>90	Chrome
06.0361.8.940.WH	620	5,4	4000	>90	White
06.0361.8.940.BK	620	5,4	4000	>90	Black




MATERIAL | AL PC (i) » 188

ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32


(i) » 183




06.0361.8.930.WH



06.0361.8.930.BK



06.0361.8.930.BR




06.0361.8.930.CR

IN_LINE ZOOM



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0599.13.930.WH	615 - 1040	13	3000	>90	White
06.0599.13.930.BK	615 - 1040	13	3000	>90	Black
06.0599.13.940.WH	615 - 1040	13	4000	>90	White
06.0599.13.940.BK	615 - 1040	13	4000	>90	Black




MATERIAL | AL PC (i) » 188


IN_LINE TUB M NB




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0595.9.930.BK	640	10	3000	>90	Black



MATERIAL | AL PC (i) » 188



06.0599.13.930.WH




06.0599.13.930.BK

IN_LINE GALLERY




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
NEW 06.5160.13.930.WH	600	6,3	3000	>90	White
06.5160.13.930.BK	600	6,3	3000	>90	Black
NEW 06.5160.13.940.WH	620	6,3	4000	>90	White
06.5160.13.940.BK	620	6,3	4000	>90	Black




MATERIAL | AL PC (i) » 188

A (mm)	H (mm)	φ (mm)
1000	320	500
2000	630	990
3000	950	1490




06.5160.13.930.WH




06.5160.13.930.BK

IN_LINE TUB M A 90



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0591.14.930.WH	1210	10,8	3000	>90	White
06.0591.14.930.BK	1210	10,8	3000	>90	Black
06.0591.14.930.BR	1210	10,8	3000	>90	Brass
06.0591.14.930.CR	1210	10,8	3000	>90	Chrome
NEW 06.0591.14.930.WHW	1210	10,8	3000	>90	White/White
06.0591.14.940.WH	1320	10,8	4000	>90	White
06.0591.14.940.BK	1320	10,8	4000	>90	Black



- LED
- CE
- EMC
- RoHS
- IP20
- 48V
- NO INCL
- 50°
- Tilt
- Rotate

MATERIAL | AL PC

» 188

ACCESSORIES

- Shield TUB M Copper 06.A05SH.CP
- Shield TUB M Brass 06.A05SH.BR
- Shield L TUB M Copper 06.A05SHL.CP
- Shield L TUB M Brass 06.A05SHL.BR
- Wall washer 06.A05WW
- Snoot, black 06.A05NB
- Foggy cover 06.A05FG
- Honeycomb 06.A05HC
- Elips diffuser 06.A05ELPS
- Foggy diffuser 06.A05SFT
- Lens 15° 06.A05LS15
- Lens 30° 06.A05LS30

» 183



06.0591.14.930.WH + 06.A05SH.BR



06.0591.14.930.WH + 06.A05SH.CP



06.0591.14.930.BK + 06.A05SH.BR



06.0591.14.930.BK + 06.A05SH.CP




06.0591.14.930.WHW




06.0591.14.930.BK



IN_LINE TUB M A 140



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0514.19.930.WH	1640	19	3000	>90	White
06.0514.19.930.BK	1640	19	3000	>90	Black
06.0514.19.940.WH	1885	19	4000	>90	White
06.0514.19.940.BK	1885	19	4000	>90	Black



MATERIAL | AL PC

[i](#) » 188


ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

[i](#) » 183



06.0514.19.930.WH + 06.A05SH.BR



06.0514.19.930.WH + 06.A05SH.CP



06.0514.19.940.BK + 06.A05SH.BR



06.0514.19.940.BK + 06.A05SH.CP



06.0514.19.930.WH



06.0514.19.930.BK



TSEH Architectural Group

IN_LINE SOL MINI



NEW

Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.7526.7.930.WH	640	7	3000	>90	White
06.7526.7.930.BK	640	7	3000	>90	Black
06.7526.7.940.WH	695	7	4000	>90	White
06.7526.7.940.BK	695	7	4000	>90	Black



MATERIAL | AL PC

i » 188

ACCESSORIES

	Replaceable ring. White colour	SOL M RING WHITE
	Replaceable ring. Copper colour	SOL M RING COPPER
	Replaceable ring. Brass colour	SOL M RING BRASS
	Replaceable ring. Chrome colour	SOL M RING CHROME

i » 183



06.7526.7.930.BK

06.7526.7.930.WH+
SOL M RING BRASS

06.7526.7.930.WH +
SOL M RING CHROME

06.7526.7.930.WH +
SOL M RING COPPER




06.7526.7.930.BK +
SOL M RING WHITE

06.7526.7.930.BK +
SOL M RING BRASS

06.7526.7.930.BK +
SOL M RING CHROME

06.7526.7.930.BK +
SOL M RING COPPER

IN_LINE SOL



MATERIAL | AL PC

i » 188

ACCESSORIES

	Replaceable ring. White colour	SOL RING WHITE
	Replaceable ring. Copper colour	SOL RING COPPER
	Replaceable ring. Brass colour	SOL RING BRASS
	Replaceable ring. Chrome colour	SOL RING CHROME
	NEW Lens 12°	06.A09LS12

i » 183




06.9533.14.930.BK + SOL RING WHITE

06.9533.14.930.BK + SOL RING BRASS


06.9533.14.930.BK+SOL RING CHROME

06.9533.14.930.BK + SOL RING COPPER

IN_LINE COMFORT B 205




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2052.12.930.BK	850	12	3000	>90	Black
06.2052.12.940.BK	850	12	4000	>90	Black




MATERIAL | AL PC

[i](#) » 188

IN_LINE LINEA B 205



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2053.6.930.WH	410	6	3000	>90	White
06.2053.6.930.BK	410	6	3000	>90	Black
06.2053.6.940.WH	424	6	4000	>90	White
06.2053.6.940.BK	424	6	4000	>90	Black



MATERIAL | AL PC


[i](#) » 188



IN_LINE TUB XS A22 X2




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2221.4.930.WH	2 x 90	2 x 2	3000	>90	White
06.2221.4.930.BK	2 x 90	2 x 2	3000	>90	Black
06.2221.4.930.BR	2 x 77	2 x 2	3000	>90	Brass
06.2221.4.930.CR	2 x 77	2 x 2	3000	>90	Chrome



MATERIAL | AL PC

» 188

IN_LINE SFERA



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1001.5.930.WH	498	5	3000	>90	White




MATERIAL | AL GL

» 188

IN_LINE WIN




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.win.3.930.BK	1800	3	3000	>90	Black



MATERIAL | AL GL


» 188



IN_LINE ART




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2420.14.930.BK	750	14	3000	>90	Black




MATERIAL | AL PC

» 188

IN_LINE TUB XS P




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0160.2.930.WH	137	2,4	3000	>90	White
06.0160.2.930.BK	137	2,4	3000	>90	Black
06.0160.2.930.BR	137	2,4	3000	>90	Brass



MATERIAL | AL PC

» 188

IN_LINE TUB S P 300



MATERIAL | AL PC



» 188

ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

» 183

IN_LINE TUB S P 600



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0360.8.930.WH	657	8	3000	>90	White
06.0360.8.930.BK	657	8	3000	>90	Black
NEW 06.0360.8.930.BR	657	8	3000	>90	Brass




MATERIAL | AL PC

» 188

ACCESSORIES

	Honeycomb	06.A05HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32


» 183



06.0160.2.930.WH

06.0160.2.930.BK

06.0160.2.930.BR



06.0360.8.930.WH

06.0360.8.930.BK

06.0360.8.930.BR

IN_LINE TUB M P 200



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0521.19.930.WH	1280	19	3000	>90	White
06.0521.19.930.BK	1280	19	3000	>90	Black
06.0521.19.940.WH	1348	19	4000	>90	White
06.0521.19.940.BK	1348	19	4000	>90	Black




MATERIAL | AL PC

i » 188

ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

i » 183




06.0521.19.940.WH + 06.A05SH.BR



06.0521.19.940.BK + 06.A05SH.BR




06.0521.19.940.WH + 06.A05SHL.BR



06.0521.19.940.BK + 06.A05SHL.BR




06.0521.19.940.WH + 06.A05SH.CP



06.0521.19.940.BK + 06.A05SH.CP




06.0521.19.940.WH + 06.A05SHL.CP



06.0521.19.940.BK + 06.A05SHL.CP

IN_LINE BALL L




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1800.28.930.WH	2181	28	3000	>90	White
06.1800.28.930.BK	2181	28	3000	>90	Black




MATERIAL | AL PC


i » 188



CLICK TO TURN ON / OFF TOUCH TO DIMM



IN_LINE BALL M





Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1000.7.930.WH	590	7	3000	>90	White
06.1000.7.930.BK	590	7	3000	>90	Black




MATERIAL | AL PC

i » 188



06.1800.28.930.WH



06.1800.28.930.BK