

LUCIDE



RECOMMENDED
LUCIDE LIGHT
SOURCE

49013/12/31

Light source dimmable : Yes
Light source incl. : Yes

General

Dimensions LxWxH : 28 cm x 12 cm x 20 cm
Height minimum : -
Height maximum : 20 cm
Dimensions shade LxWxH : cm x cm x cm
Main material : Steel+aluminium
Ceiling rose material : Steel
Color : Sandy white
Style : Modern
Shape : As shown
Weight : 1.7 kg
Warranty : 2 years

Product specifications

Dimmable : Yes
Light direction : Around (Head)
Adjustable in height :
Directional : 24 degree
Cable : Yes, Cable on product
Cable length : 15cm
Sensor : Without Sensor
Control: Light Switch Control
IP-Class : 20
Electric class : 1
Light source including ? : Yes
Lamp socket : G53
Light source number : 2
Power requirements : 220-240V~50Hz
Bulb type & maximum wattage : G53 max.12W

For more specifications of this product please visit

www.lucide.com


LUCIDE

TECHNICAL DRAWING & DIMENSIONS

TALA LED

item number : 31930/24/31




EAN code : 5411212315519



For more specifications, dimensions please visit
www.lucide.com

LUCIDE

INSTALLATION DRAWING SPECIFICATIONS



Dit product bevat een lichtbron van energie-efficiëntieklasse A.
 Ce produit contient une source lumineuse de classe énergétique A.
 This product contains a light source of energy efficiency class A.
 Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse A.
 Ten produkt zawiera ród o wiat a o klasie efektywno ci energetycznej A.