

02 Recessed Spots Fixed LED>The COB Semi Dark Light Range

10113M/W/W



13W COB LED assymmetrical recessed spot ideal for shelf illumination, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



89015AT

Physical Specification

Item Group

02 Recessed Spots Fixed LED

Family

The COB Semi Dark Light Range

Order Code

10113M/W/W

Colour

White

Material

Die Cast

Shape

Circular



Height

82mm


Diameter	82mm
Cutout Hole Diameter	74mm
Recessed Ceiling	Yes
Depth Required	95mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting


Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	13W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	84,61lm/W
CRI	80
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes

Box Weight	0,39kg
Pcs/Carton	20
Barcode	5291889047230
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

