

## 02 Recessed Spots Fixed LED&gt;The 12W Dark Light Range

## 10112TD/W/C



12W Recessed Dark Light LED spot with removable head, IP20.

Complete with 300mA driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The 12W Dark Light Range
Order Code	10112TD/W/C
Colour	White
Material	Die Cast
Shape	Circular
Height	80mm
Diameter	90mm
Cutout Hole Diameter	82mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes

## Electrical Characteristics

## Gear

## External-Included

## Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

12W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



## Fitting

Input Type

Constant Current

Input Current

300mA

Voltage

36V

Safety Class



Power(Watts)

10,8W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Bridgelux

## Gear

Gear Type


Led Driver

Input Voltage


220-240V

50 Hz

Yes

60 Hz	Yes
Power(Watts)	8,1-12,6W
Power Factor	0,6
Constant Current	Yes
300mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Lifud

## Illumination Data

Colour Temperature	4000K
Lumen Output	960lm
Light Efficiency	80lm/W
CRI	80
Beam Angle	20°
Illumination Diagram	
Dark Light	Yes

## Packing Info

Box Length	11,5cm
Box Width	10cm
Box Height	11cm
Pcs/Carton	50
Barcode	5291889061526
HS Code	9405409900

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

