

05 Downlights&gt;Extractable R111 Die cast

11110H/W



Recessed adjustable R111 extractable downlight with GU10 lampholder.

Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Physical Specification

Item Group

05 Downlights

Family

Extractable R111 Die cast

Order Code

11110H/W

Colour

White

Material

Die Cast

Shape



Circular

Height

160mm

|                      |              |
|----------------------|--------------|
| Diameter             | 195mm        |
| Cutout Hole Diameter | 185mm        |
| Recessed Ceiling     | Yes          |
| Depth Required       | 110mm        |
| Indoor               | Yes          |
| Adjustable           | 2 Directions |

## Electrical Characteristics

|                  |   |
|------------------|---|
| Gear             | No  |
| Fitting + Driver |   |
| Input Voltage    | 100-240V  |
| 50 Hz            | Yes   |
| 60 Hz            | Yes   |
| Safety Class     |  |
| Power(Watts)     | 75W   |
| IP Rating        | IP20  |
| Light Source     | Replaceable lamp  |
| Lamp Holder      | GU10  |
| Number of Lamps  | 1   |
| Dimmable         | N/A   |
| Cable Length     | 20cm  |
| F Mark           |  |

## Illumination Data

|                      |   |
|----------------------|---|
| Illumination Diagram |  |
|----------------------|---|

## Packing Info

|            |      |
|------------|------|
| Box Length | 20cm |
| Box Width  | 20cm |

|            |               |
|------------|---------------|
| Box Height | 18cm          |
| Box Weight | 1,38Kg        |
| Pcs/Carton | 8             |
| Barcode    | 5291889020684 |
| HS Code    | 9405409900    |

### Certification & Warranty

|                |         |
|----------------|---------|
| Warranty       | 5 Years |
| Weee Directive | Yes     |

switch to  
**one light!**

one  
LIGHT

