

## 06 Downlights Fixed LED&gt;The 40W Backlit Panel

50140B/W/W



60x60 recessed backlit LED panel for T-rail false ceilings. Uniform lighting, ideal for commercial applications.

Complete with 850mA driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Related items



050017



050108



89050TLD

## Physical Specification

Item Group

06 Downlights Fixed LED

Family

The 40W Backlit Panel

Order Code

50140B/W/W

Завантажено з e27.com.ua

Colour

White

Material

Aluminium + Steel

Shape

Rectangular

Length

595mm

Width

595mm

Height

29mm

Recessed T-Ceiling

Yes

Depth Required

50mm

Indoor

Yes

Adjustable

No

#### Electrical Characteristics

Gear

External-Included

#### Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

40W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



#### Fitting

Input Type

Constant Current

Input Current

850mA

Voltage


45V

Safety Class




|              |              |
|--------------|--------------|
| Power(Watts) | 38,7W        |
| IP Rating    | IP20         |
| Light Source | LED built in |
| LED Type     | SMD 2835     |
| LED Brand    | Samsung      |

## Gear

|                  |   |
|------------------|---|
| Gear Type        | Led Driver  |
| Input Voltage    | 220-240V  |
| 50 Hz            | Yes   |
| 60 Hz            | Yes   |
| Power(Watts)     | 32,3-38,25W   |
| Power Factor     | 0,9   |
| Constant Current | Yes   |
| 850mA            | 38-45V  |
| IP Rating        | IP20  |
| Safety Class     |  |
| Dimmable         | No  |
| Housing Material | Plastic   |
| Output Terminal  | Cable   |
| Cable Length     | 50cm  |
| Brand            | ONE   |

## Illumination Data

|                      |   |
|----------------------|---|
| Colour Temperature   | 3000K   |
| Lumen Output         | 4000lm  |
| Light Efficiency     | 100lm/W   |
| CRI                  | 80  |
| Beam Angle           | 120°  |
| Illumination Diagram |  |

|            |               |
|------------|---------------|
| Box Weight | 2.300kg       |
| Pcs/Carton | 4             |
| Barcode    | 5291889068341 |
| HS Code    | 9405119090    |

## Certification &amp; Warranty

|                |         |
|----------------|---------|
| Warranty       | 3 years |
| Weee Directive | Yes     |

switch to  
**one light!**

one  
LIGHT

