

09 Track Lights>The Shop PRO Range

65654CTT/W/C



40W COB LED track spot with, ideal for shops and showrooms.

Complete with 900mA dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



40001A/W



40002A/W



40003A/W

Physical Specification

Item Group

09 Track Lights

Family

The Shop PRO Range

Order Code

65654CTT/W/C

Colour

White

Material

Aluminium

Shape


Circular

Height

141mm


| | |
|---------------|--------------|
| Diameter | 100mm |
| Track mounted | Yes |
| Indoor | Yes |
| Adjustable | 2 Directions |

Electrical Characteristics


| | |
|------------------|---|
| Gear | Built In |
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 40W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | Yes |

| | |
|---------------|------------------|
| Fitting | |
| Input Type | Constant Current |
| Input Current | 900mA |
| Voltage | 42V |
| Power(Watts) | 38W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Sanan |
| LED Number | 1 |

| | |
|-----------|------------|
| Gear | |
| Gear Type | Led Driver |

| | |
|------------------|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 14,4-38W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 900mA | 16-42V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | Yes |
| Dimmer type | Triac |
| Housing Material | Plastic |
| Output Terminal | Connector |
| Brand | ALLOOKING |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 4000K |
| Lumen Output | 3600lm |
| Light Efficiency | 90lm/W |
| CRI | 90 |
| Beam Angle | 38° |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Box Weight | 1.180kg |
| Pcs/Carton | 10 |
| Barcode | 5291889067740 |
| HS Code | 9405413990 |

Certification & Warranty

switch to
one light!

one
LIGHT

