


New 2023 Edition 2>Wall & Ceiling LED

67526B3/AN/W



2x13W Wall light, IP65.

Complete with 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

| | |
|--------------|--------------------|
| Item Group | New 2023 Edition 2 |
| Family | Wall & Ceiling LED |
| Order Code | 67526B3/AN/W |
| Colour | Anthracite |
| Material | Die Cast |
| Shape | Rectangular |
| Length | 500mm |
| Width | 76mm |
| Height | 66mm |
| Surface Wall | Yes |
| Indoor | Yes |
| Outdoor | Yes |

Adjustable

No

Завантажено з e27.com.ua

IK Rating

7

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

2x13W

IP Rating

IP65

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

700mA

Voltage

17,44V

Power(Watts)

24,42W

IP Rating

IP65

Light Source

LED built in

LED Type

SMD 3030

LED Brand

Osram

Gear

Gear Type


Led Driver

Input Voltage


220-240V

50 Hz

Yes

| | |
|------------------|-------------------------------------------------------------------------------------|
| 60 Hz | Yes |
| Power(Watts) | 26,6-30,1W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 700mA | 28-43V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Brand | Eaglerise |
| Protection | 0 |

Illumination Data

| | |
|----------------------|---------------------------------------------------------------------------------------|
| Colour Temperature | 3000K |
| Lumen Output | 1560lm |
| Light Efficiency | 60lm/W |
| CRI | 80 |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Pcs/Carton | 4 |
| Barcode | 5291889075813 |
| HS Code | 9405413990 |

Certification & Warranty

switch to
one light!

one
LIGHT

