

## 14 Plafo &gt; The IP65 Plafo Range

67390/W/C



21W LED slim plafo, IP65, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Physical Specification

|                   |                      |
|-------------------|----------------------|
| Item Group        | 14 Plafo             |
| Family            | The IP65 Plafo Range |
| Order Code        | 67390/W/C            |
| Colour            | White                |
| Material          | ABS                  |
| Diffuser Material | PC                   |
| Shape             | Circular             |
| Height            | 63mm                 |
| Diameter          | 320mm                |
| Surface Ceiling   | Yes                  |
| Indoor            | Yes                  |
| Outdoor           | Yes                  |

## Electrical Characteristics

## Gear

## Built In

## Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

21W

IP Rating

IP65

Light Source

LED built in

Dimmable

No

F Mark



## Fitting

Input Type

Constant Current

Input Current

500mA

Voltage

40V

Power(Watts)

20W

IP Rating

IP65

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Epistar

LED Number

120

F Mark




## Gear

Gear Type


Led Driver

Input Voltage

220-240V

|                  |   |
|------------------|---|
| 50 Hz            | Yes   |
| 60 Hz            | Yes   |
| Power(Watts)     | 13,5-21W  |
| Power Factor     | 0,9   |
| Constant Current | Yes   |
| 500mA            | 27-42V  |
| IP Rating        | IP20  |
| Safety Class     |  |
| Dimmable         | No  |
| Housing Material | Plastic   |
| Output Terminal  | Connector   |
| Brand            | Eaglerise   |

#### Illumination Data

|                      |   |
|----------------------|---|
| Colour Temperature   | 4000K   |
| Lumen Output         | 1300lm  |
| Light Efficiency     | 61,9lm/W  |
| CRI                  | 80  |
| Illumination Diagram |  |

#### Packing Info

|            |               |
|------------|---------------|
| Box Length | 33cm          |
| Box Width  | 33cm          |
| Box Height | 7,5cm         |
| Box Weight | 1,49Kg        |
| Pcs/Carton | 10            |
| Barcode    | 5291889071167 |
| HS Code    | 9405104090    |

Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

